



New Hampshire Department of Transportation

Qualified Products List

Issue 2005-1

May 5, 2005

Products appearing on this list have been prequalified by the Department for general use. Unless noted otherwise, these products may be used on Highway and Bridge projects, under the Section/Item Number indicated, without further testing. A Certificate of Compliance is required for these materials. A product that falls into one of these categories and is not listed shall not be used, unless qualified through written request to the NHDOT, Bureau of Materials & Research. Such request shall be made with sufficient lead-time to allow for any necessary testing and/or research.

Inclusion of a product on this list does not imply that the product meets any or all applicable State or Federal regulations related to safety or environmental issues in effect at the time. The manufacturer's Material Safety Data Sheet (MSDS) should be referred to before use of any product appearing on this list.

NOTICE: Report any failure, incompatibility or other problem associated with any product on this list to:

Research Supervisor, NHDOT Bureau of Materials & Research
PO Box 483, Concord, NH 03302-0483
Tel: (603) 271-3151
Fax: (603) 271-8700
E-mail: wreal@dot.state.nh.us

NHDOT Qualified Products List

Table of Contents

<u>Section Number</u>	<u>Category</u>
403	B. ITEM 403.1109 - MODIFIER FOR HIGH STRENGTH HOT BITUMINOUS PAVEMENT
413	A. Item 413.1 - HOT POURED CRACK SEALANT (ASTM D-3405) B. Item 413.2 - HOT POURED CRACK SEALANT (LOW MODULUS)
510	A. ITEM 510.65 - DRIVING POINTS FOR STEEL BEARING PILES
520	A. FAST SET NON-SHRINK PATCHING MORTAR (For Bridge Deck Repairs) B. ACCELERATING ADMIXTURES C. AIR ENTRAINING ADMIXTURES D. WATER REDUCING ADMIXTURES E. RETARDING ADMIXTURES F. SUPERPLASTICIZERS (Type G) G. CORROSION INHIBITORS H. CURING COMPOUNDS I. BONDING AGENTS (Fresh Concrete to Hardened Concrete) J. BONDING AGENTS (Fresh Concrete to Steel) K. PLASTIC BEARING STRIP (For Expansion End) L. CLOSED CELL EXPANSION MATERIAL M. CLOSED CELL FILLER MATERIAL N. POLYMER-MODIFIED, 2-COMPONENT, FAST SETTING CONCRETE PATCH
526	A. ITEM 526.2 - EPOXY FOR NON-MOVING CRACKS B. ITEM 526.3 - HIGH MOLECULAR WEIGHT METHACRYLATE CRACK SEALER
529	A. ITEM 529.1 - HIGH STRENGTH, IMPACT RESISTANT, NON-SHRINK GROUT
530	A. ITEM 530.3 - CEMENT BASE WITH ACRYLIC LATEX (2 Coats) B. ITEM 530.3 - CEMENT BASE, POLYMER MODIFIED (2 Coats)
532	A. ITEM 532.1 - SEMI-PERMANENT ANTI-GRAFFITI COATINGS (CLEAR)
534	A. ITEM 534.1 - LINSEED OIL (Anti-spalling Compound) B. ITEM 534.3 - SILANE/SILOXANE C. ITEM 534.3 - SILANE/SILOXANE - COLD WEATHER
535	A. ITEM 535.1 - BITUMEN EPOXY WATERPROOFING
536	A. ITEM 536.11 - EPOXY COATING FOR CONCRETE (Mortar Coat/Seal Coat) B. ITEM 536.3 - HIGH BUILD, HIGH GLOSS, WHITE EPOXY COATING FOR CONCRETE
537	A. HIGH SOLIDS ACRYLIC SEALER (Two Coats) B. FERROUS STAIN REMOVER
538	A. ITEMS 538.1 AND 538.2 - WARM WEATHER APPLICATION B. ITEM 538.2 - COOL WEATHER APPLICATION C. PROTECTION BOARD FOR BARRIER MEMBRANE D. ITEM 538.3 - BARRIER MEMBRANE, LIQUID SPRAY E. ITEM 538.4 - BARRIER MEMBRANE, HOT RUBBERIZED ASPHALT F. ITEM 538.5 - BARRIER MEMBRANE, WELDED BY TORCH G. ITEM 538.6 - BARRIER MEMBRANE, WELDED BY TORCH - MACHINE METHOD H. URETHANE LIQUID MEMBRANE I. MOISTURE METER (For concrete bridge decks) J. FIXED-ALIGNMENT ADHESION TESTER TYPE I K. FIXED-ALIGNMENT ADHESION TESTER TYPE II
541	A. ITEM 541.1 - NH TYPE 1 B. ITEM 541.2 - NH TYPE 2 C. ITEM 541.3 - NH TYPE 3 D. ITEM 541.4 - NH TYPE 4 E. ITEM 541.5 - NH TYPE 5

NHDOT Qualified Products List

548	A. EPOXY ADHESIVE FOR BEARING PADS
550	A. FAST SETTING GROUTS FOR ANCHOR BOLTS (550.3.15.4)
	C. PREFORMED FABRIC BEARING PADS (550.2.6)
	D. ITEM 550.29 - BRIDGE SHOES (ISOLATION BEARINGS)
552	A. ITEM 552.2 - LUBRICATION (Lithium Base NGLI-2 Grade)
559	A. ITEM 559.4 - ELASTOMERIC PLUG TYPE EXPANSION JOINT
	B. ITEM 559.5 - SILICONE JOINT SEALANT
560	A. PREFABRICATED COMPRESSION SEAL EXPANSION JOINT
561	A. PREFAB. EXPANSION JOINT "TYPE A" (STRIP SEAL)
	B. PREFAB. EXPANSION JOINT "TYPE B" (BOX SEAL)
	C. PREFORMED FABRIC TROUGH (Used with prefabricated finger joints)
562	A. ELASTOMERIC SEALANT (Vertical Joints)
	B. ELASTOMERIC SEALANT (Horizontal Joints)
563	A. ANCHOR BOLTS W/RESIN ADHESIVE
	B. AASHTO M 251 PADS
	C. RANDOM-ORIENTED FIBER PADS
566	A. ELASTOMERIC JOINT SEAL
581	A. ASPHALT-PRIMER (SOLVENT TYPE)
593	GEOTEXTILES
603	A. POLYETHYLENE (HDPE)
	B. POLYVINYL CHLORIDE (PVC)
604	A. FIBER REINFORCEMENT FOR PRECAST DRAINAGE STRUCTURES
605	A. POLYETHYLENE (HDPE)
	B. POLYVINYL CHLORIDE (PVC)
606	A. COMPOSITE MATERIAL BLOCKS
609	A. CEMENT MORTAR FOR BRIDGE CURB BEDDING
	B. POLYESTER FIBERS FOR BITUMINOUS CURB
616	A. SAW CUT LOOP SEALANT
619	A. TEMPORARY RAISED PAVEMENT MARKERS
632	A. ITEM 632.1 - PREFORMED RETROREFLECTIVE TAPE, TYPE I (REMOVABLE)
	B. ITEM 632.5 - PREFORMED RETROREFLECTIVE TAPE, TYPE V
	C. ITEM 632.6 - PREFORMED RETROREFLECTIVE TAPE, TYPE VI
	D. ITEMS 632.81 & 632.82 - RAISED PAVEMENT MARKERS (SINGLE, DOUBLE FACE)
	F. ITEM 632.9 - PREFORMED BLACKOUT TAPE, TYPE I (REMOVABLE)
645	A. ITEM 645.1 - MULCH
	B. ITEM 645.21 - SLOPE STABILIZATION (2:1 OR FLATTER)
	C. ITEM 645.22 - SLOPE STABILIZATION (STEEPER THAN 2:1)
	D. ITEM 645.23 - CHANNEL STABILIZATION (LOW VELOCITY)
	E. ITEM 645.24 - CHANNEL STABILIZATION (HIGH VELOCITY)
	F. ITEM 645.25 - PERMANENT STABILIZATION
	G. ITEM 645.531 - SILT FENCE
	H. TACKIFIERS

NHDOT Qualified Products List

SECTION 403 - HOT BITUMINOUS PAVEMENT

A. Not currently used

B. ITEM 403.1109 - MODIFIER FOR HIGH STRENGTH HOT BITUMINOUS PAVEMENT

(Use only when specified)

Manufacturer:

American Gilsonite Co.

Product:

Gilsonite HMA Modifier (8% by weight of asphalt cement)

SECTION 413 - HOT-POURED CRACK SEALANT

A. Item 413.1 - HOT POURED CRACK SEALANT (ASTM D-3405)

Note: Acceptance of actual shipments will be based on test results of samples taken at the construction site.

Manufacturer:

American Permaquik

Crafco Inc.

Koch Materials Co.

The Pavement Depot/Dalton Enterprises,

W.R. Meadows

Product:

Permaquik 6195

Road Saver 201

Product #9005

Crack-Rite HP3405

Hi-Spec

B. Item 413.2 - HOT POURED CRACK SEALANT (LOW MODULUS)

Note: Acceptance of actual shipments will be based on test results of samples taken at the construction site.

Manufacturer:

Bemac Products (McAsphalt Industries)

Crafco, Inc.

Deery American Corp.

Koch Materials Co

Product:

BERAM 195 Low Modulus

Road Saver 231

DAC Hot Poured Crack Sealant DAC 101

Product #9030

SECTION 510 - BEARING PILES

A. ITEM 510.65 - DRIVING POINTS FOR STEEL BEARING PILES

Conforming to AASHTO M 103 (ASTM A27), Grade 65-35 or ASTM A148, Grade 90-60

Manufacturer:

Assoc. Pile & Fitting Corp.

Assoc. Pile & Fitting Corp.

Assoc. Pile & Fitting Corp.

Assoc. Pile & Fitting Corp.

Dougherty Foundation Prod., Inc.

Dougherty Foundation Prod., Inc.

Mid-America Foundation Supply

Piling Accessories, Inc.

Versabite Piling Accessories

Versa-Steel Inc.

Product:

Hard-Bite HP 77600-B

Hard-Bite HP 77750-B

Hard-Bite HP 7780-B *

Pruyn Point HP 75750-B

Tuftpuf Tufloy H-776 *

Tuftpuf Tufloy H-777 *

Model HPH **

Super-Bite PAR-T Series

Versa-Bite VB 300-P Series

Versa Steel VS-300N Series

* Available only in Grade 90-60

** Available only in Grade 65-35

SECTION 520 - PORTLAND CEMENT CONCRETE

A. FAST SET NON-SHRINK PATCHING MORTAR (For Bridge Deck Repairs)

Manufacturer:

Chemrex

Conspex Marketing & Manufacturing

Five Star Products

Five Star Products

Silpro Masonry Systems

Product:

ThoRoc 10-60 Rapid Mortar

Pave Patch 3000

Structural Concrete

Structural Concrete V/O Patch **

Fastcrete *

* High Early Strength (1000 psi minimum at 1 hour - lab)

** Recommended also for vertical/overhead patching

NHDOT Qualified Products List

B. ACCELERATING ADMIXTURES

Contact Materials & Research (271-3151) for products when required.

C. AIR ENTRAINING ADMIXTURES

<u>Manufacturer:</u>	<u>Product:</u>
Master Builders, Inc.	MB AE 90
Master Builders, Inc.	Micro-Air
W.R. Grace & Co.	Daravair 1000
W.R. Grace & Co.	Daravair AT60
W.R. Grace & Co.	Darex II

D. WATER REDUCING ADMIXTURES

<u>Manufacturer:</u>	<u>Product:</u>
Master Builders, Inc.	Polyheed 997 (Midrange)
Master Builders, Inc.	Pozzolith 200N
Master Builders, Inc.	Pozzolith 220N
W.R. Grace & Co.	Adva 100
W.R. Grace & Co.	ADVA Flow
W.R. Grace & Co.	Daracem 55 (Midrange)
W.R. Grace & Co.	Daracem 65 (Midrange)
W.R. Grace & Co.	MIRA 70
W.R. Grace & Co.	WRDA/HYCOL

E. RETARDING ADMIXTURES

<u>Manufacturer:</u>	<u>Product:</u>
Master Builders, Inc.	Pozzolith 100XR
Master Builders, Inc.	Pozzolith 122R
W.R. Grace & Co.	Daratard 17

F. SUPERPLASTICIZERS (Type G)

<u>Manufacturer:</u>	<u>Product:</u>
Master Builders, Inc.	Rheobuild 716 I
W.R. Grace & Co.	Daracem 100

G. CORROSION INHIBITORS

<u>Manufacturer:</u>	<u>Product:</u>
Master Builders, Inc.	Rheocrete CNI
W.R. Grace & Co.	DCI
W.R. Grace & Co.	DCI-S

H. CURING COMPOUNDS

See specifications for limitations regarding the use of curing compounds.

<u>Manufacturer:</u>	<u>Product:</u>
Dayton Superior	D.S.S.C.C. White Resin Cure
L&M Construction Chemicals Inc.	Cure R (w/fugitive dye)
Poly Sat Inc.	Harris Super Konkure White

I. BONDING AGENTS (Fresh Concrete to Hardened Concrete)

Note: Bonding agents to be used only when specified. Application to be per manufacturer's recommendation.

<u>Manufacturer:</u>	<u>Product:</u>
Master Builders, Inc.	Concresive Liquid LPL

NHDOT Qualified Products List

J. BONDING AGENTS (Fresh Concrete to Steel)

Note: Bonding agents to be used only when specified. Application to be per manufacturer's recommendation.

Manufacturer:
Sika Corp

Product:
Armotec 110

K. PLASTIC BEARING STRIP (For Expansion End)

Manufacturer:
Korolath of New England

Product:
Korolath PE (Contact Cement - Sikadur 31 Hi-Mod Gel)

L. CLOSED CELL EXPANSION MATERIAL

Use only when specified.

Manufacturer:
E-poxy Engineered Materials, LLC

Product:
Evazote 380 E.S.P. (w/ Eva-Pox Bonder No. 1)

M. CLOSED CELL FILLER MATERIAL

Manufacturer:
Dow Corning Corp.
Owens Corning

Product:
STYROFOAM
Foamular 250

N. POLYMER-MODIFIED, 2-COMPONENT, FAST SETTING CONCRETE PATCH

Use only when specified

Manufacturer:
Sonneborn Building Prods./ChemRex

Product:
Sonopatch 200 with Sonocrete Acrylic Ad.

SECTION 526 - CONCRETE CRACK SEALERS

A. ITEM 526.2 - EPOXY FOR NON-MOVING CRACKS

Manufacturer:
Dayton Superior
Dural International (TammsInd.)
E-Poxy Industries, Inc.
Hilti Construction Chemicals
Master Builders, Inc.
Master Builders, Inc.
Sika Corp (Cool Weather)
Sika Corp. (Warm Weather)
Sinmast

Product:
Sure-Inject J-56
Duralcrete
Injection Resin #4
Hilti CI 060 EP Crack Injection System
Concresive 1380
Concresive 3009
Sikadur 52
Sikadur 35
Sinmast Product #2

B. ITEM 526.3 - HIGH MOLECULAR WEIGHT METHACRYLATE CRACK SEALER

Manufacturer:
Sika Corp

Product:
SikaPronto 19

SECTION 529 - PRESTRESSED CONCRETE BRIDGE DECK

A. ITEM 529.1 - HIGH STRENGTH, IMPACT RESISTANT, NON-SHRINK GROUT

Manufacturer:
Conspec Marketing & Manufacturing Co.
Dayton Superior
Sonneborn Building Products/ChemRex

Product:
Conspec 100 Non-Shrink Non-Metallic Grout
Suregrip High Performance Grout
SonogROUT 14K Hy Flow

NHDOT Qualified Products List

SECTION 530 - WATERPROOFING CONCRETE SURFACES

A. ITEM 530.3 - CEMENT BASE WITH ACRYLIC LATEX (2 Coats)

Manufacturer:

Degussa (formerly Harris Specialty
Tamms Industries

Product:

Thoroseal (Pearl Gray) w/Acryl 60
Tamoseal (Oyster Gray) w/AKKRO-7T

B. ITEM 530.3 - CEMENT BASE, POLYMER MODIFIED (2 Coats)

Manufacturer:

Degussa (formerly Harris Specialty
Flexcrete Limited
Tamms Industries

Product:

ThoRoc Cement Coating (Gray)
Silcabond FCR 851 (Gray)
Duraltop Coating (Gray)

SECTION 532 - ANTI-GRAFFITI COATINGS

A. ITEM 532.1 - SEMI-PERMANENT ANTI-GRAFFITI COATINGS (CLEAR)

Manufacturer:

Professional Products of Kansas, Inc.

Product:

PROFESSIONAL Water Sealant Anti-Graffiti *, GRAFFITI FREE cleaner

** Coat #1 - Super-strength (15% solids), Coat #2 - Extra-strength (8% solids) or Super-strength, in accordance with manufacturer's recommendations*

SECTION 534 - WATER REPELLENT

A. ITEM 534.1 - LINSEED OIL (Anti-spalling Compound)

Manufacturer:

A.H. Harris and Sons, Inc.
Dayton Superior
New England Paint Mfg. Co.
Tamms Industries

Product:

Harris Super Antispall Voc
Day-Chem Anti-Spall (J-33)
Locktite
Tri-Dar 66/1A

B. ITEM 534.3 - SILANE/SILOXANE

These products can be used when ambient and surface temperatures are 40 degrees and above.

Manufacturer:

Advanced Chemical Technologies, Inc.
ProSoCo, Inc.
ProSoCo, Inc.
Sivento Inc.
Vexcon Chemicals, Inc.

Product:

Sil-Act ATS 42
SL 100
SLX100
Dynasylan BH-N
Powerseal 40

C. ITEM 534.3 - SILANE/SILOXANE - COLD WEATHER

These products can be used when ambient and surface temperatures are 20 degrees and above.

Manufacturer:

Master Builders, Inc.
Sivento Inc.

Product:

Masterseal SL40
Chem-Trete BSM 40 VOC

SECTION 535 - EPOXY WATERPROOFING

A. ITEM 535.1 - BITUMEN EPOXY WATERPROOFING

Manufacturer:

Anti-Hydro Company
Kop-Coast Div./Carboline
Tamms Industries

Product:

A-H Coal Tar Epoxy 210
Bitumastic 300-M
Dural 306

NHDOT Qualified Products List

SECTION 536 - EPOXY COATING FOR CONCRETE

A. ITEM 536.11 - EPOXY COATING FOR CONCRETE (Mortar Coat/Seal Coat)

<u>Manufacturer:</u>	<u>Product:</u>
Dural International (TAMMS Ind.)	Flexocrete Gel/Dural 304
Master Builders, Inc.	Concresive 1180/Concresive 1490
Master Builders, Inc.	Concresive 3013/Concresive 3025
Sika Corporation	Sikadur 23 LM Gel/Sikagard 62

B. ITEM 536.3 - HIGH BUILD, HIGH GLOSS, WHITE EPOXY COATING FOR CONCRETE

<u>Manufacturer:</u>	<u>Product:</u>
Dural International (Tamms)	Duralkote
Kaufman Products Inc.	Sure-Poxy Hi-Bild
Master Builders, Inc.	Concresive 1170
Master Builders, Inc.	Concresive 3026
Sika Corporation	Sikagard 62

SECTION 537 - CONCRETE SEALER

A. HIGH SOLIDS ACRYLIC SEALER (Two Coats)

<u>Manufacturer:</u>	<u>Product:</u>
A.H. Harris and Sons, Inc.	Certi-vex AC1315
Silpro Corporation	Crete Seal
Tamms	Luster Seal 300

B. FERROUS STAIN REMOVER

<u>Manufacturer:</u>	<u>Product:</u>
ProSoCo	Sure-Klean Ferrous Remover

SECTION 538 - BARRIER MEMBRANE

A. ITEMS 538.1 AND 538.2 - WARM WEATHER APPLICATION

(Temp. 40 Degs. F and rising)

<u>Manufacturer:</u>	<u>Product:</u>
Royston Laboratories	10 AN Easy Pave, 713A Primer, 104CM Mastic

Required Laydown Temperature - Hot Bituminous Pavement (538.3.5) = 290 - 330 deg. F

B. ITEM 538.2 - COOL WEATHER APPLICATION

(Temp. 25 Degs F and rising)

<u>Manufacturer:</u>	<u>Product:</u>
Protecto Wrap Co.	Jiffy Seal 140/60 Cold Weather, VOC 100 Primer, 160H Mastic
Royston Laboratories Inc.	104-AHT, 740 Primer, 104CM Mastic
W.R. Meadows Inc.	Seal Tight Mel-Rol, MEL-Prime VOC Solvent Base Primer, Elastomeric Mastic
W.R.Grace & Co	Lo Temp Membrane, Bituthene Primer B2, Bituthene Mastic

C. PROTECTION BOARD FOR BARRIER MEMBRANE

(Use on membraned surfaces to be backfilled against)

<u>Manufacturer:</u>	<u>Product:</u>
W.R. Grace & Co.	1.0" Closed-Cell Extruded Polystyrene Board
W.R. Meadows	1/2" 100% Bituminous Impregnated Fiber Board
W.R. Meadows	Bituthene Asphaltic Hardboard
	Sealtight Melnar
	Sealtight PC-2

NHDOT Qualified Products List

D. ITEM 538.3 - BARRIER MEMBRANE, LIQUID SPRAY

Manufacturer:

Stirling Lloyd Products

Product:

Eliminator, PAR 1 Primer, SA 1030 Tack Coat

Required Laydown Temperature - Hot Bituminous Pavement (538.3.5) = 290 - 330 deg. F

E. ITEM 538.4 - BARRIER MEMBRANE, HOT RUBBERIZED ASPHALT

(For use along curb line with Items 538.5 and 538.6)

Manufacturer:

Bemac Products (McAsphalt)

Henry Company

Hydrotech Membrane Corp.

Permaquik Corp.

Ultraseal Construction Products

Watson Bowman Acme Corporation

Product:

Bemalastic 1213 B.D.M.

790-11 MTO Grade

Hydrotech BDM

PQ 6100 BM

Ultraseal 3750

Wabo Expandex

F. ITEM 538.5 - BARRIER MEMBRANE, WELDED BY TORCH

Manufacturer:

IKO Industries Ltd

Soprema Roofing & Waterproofing Inc.

Product:

Armour Bridge/Pont 4.5 mm *

Sopralene Flam Antirock Membrane, Antirock Primer & Tackcoat

Required Laydown Temperature - Hot Bituminous Pavement (538.3.5) = 290 - 330 deg. F

** Use either Elastocol 500 Primer or Roofcraft Modified Asphalt Primer for both the primer and tack coat.*

G. ITEM 538.6 - BARRIER MEMBRANE, WELDED BY TORCH - MACHINE METHOD

Manufacturer:

Soprema Roofing & Waterproofing Inc.

Product:

Sopralene Flam Antirock Membrane, Antirock Primer & Tackcoat

Required Laydown Temperature - Hot Bituminous Pavement (538.3.5) = 290 - 330 deg. F

H. URETHANE LIQUID MEMBRANE

(Use only when specified)

Manufacturer:

Gates Manufacturing

Royston Laboratories

W.R. Grace & Co.

Product:

Gacoflex LM60

163-99A

Bituthene LM-3000

I. MOISTURE METER (For concrete bridge decks)

Manufacturer:

Sovereign Chemical Industries, Ltd.

Tramex, Ltd

Product:

Dual Probe Moisture Master

Tramex Concrete Encounter

J. FIXED-ALIGNMENT ADHESION TESTER TYPE I

Manufacturer:

Proceq SA

Product:

Proceq Dyna Z6 Pull Off Tester with digital manometer *

** For testing of membrane and substrate as specified. Requires 50 mm test discs.*

K. FIXED-ALIGNMENT ADHESION TESTER TYPE II

Manufacturer:

Elcometer Instruments, Ltd

Product:

Elcometer 106 Adhesion Tester, Scale 1

** For testing of substrate as specified. Requires 20 mm test discs.*

NHDOT Qualified Products List

SECTION 541 - WATERSTOPS (PVC)

A. ITEM 541.1 - NH TYPE 1

Manufacturer:

Greenstreak
Paul Murphy Plastics
Tamms
Vinylex
Vulcan

Product:

781 (Ribbed), 721 (Ribbed Split), 741 (Dumbbell)
FR-4316 (Ribbed)
300 (Ribbed Split), DB-8 (Dumbbell)
RB4-316 (Ribbed), RSB4-316 (Ribbed Split), D4-316 (Dumbbell)
8036 (Ribbed Split), 8040 (Dumbbell)

B. ITEM 541.2 - NH TYPE 2

Manufacturer:

Greenstreak
Paul Murphy Plastics
Tamms
Vinylex
Vulcan

Product:

703 (Ribbed), 723 (Ribbed Split)
CR-6316 (Ribbed), SR-6316 (Ribbed Split)
4B (Ribbed), 400 (Ribbed Split)
RB6-316 (Ribbed), RSB6-316 (Ribbed Split)
8021 (Ribbed), 8032 (Ribbed Split)

C. ITEM 541.3 - NH TYPE 3

Manufacturer:

Greenstreak
Paul Murphy Plastics
Tamms
Vinylex
Vulcan

Product:

780 (Ribbed), 757 (Dumbbell)
CR-6380 (Ribbed), SR-6380 (Ribbed Split)
4C (Ribbed), 400C (Ribbed Split)
RB6-14 (Ribbed), RSB6-14 (Ribbed Split), DBG-14 (Dumbbell)
8068 (Ribbed), 8028 (Dumbbell)

D. ITEM 541.4 - NH TYPE 4

Manufacturer:

Greenstreak
Tamms
Vinylex
Vulcan

Product:

696 (Ribbed), 753 (Ribbed Split)
7F (Ribbed), DB-6 (Dumbbell)
RLB9-38 (Ribbed), DB9-38 (Dumbbell), DSB9-38 (Dumbbell)
8077 (Ribbed), 8031 (Dumbbell)

E. ITEM 541.5 - NH TYPE 5

Manufacturer:

Greenstreak
Vinylex

Product:

769 (Ribbed)
L85-14 (Ribbed)

SECTION 548 - ELASTOMERIC BEARING PADS

A. EPOXY ADHESIVE FOR BEARING PADS

Manufacturer:

Delta Plastics Co.
Sika Corp.

Product:

Delta AS23-18 A&B Gel Type Epoxy Adhesive
Sikadur 32, Hi-Mod LPL Structural Epoxy Adhesive

SECTION 550 - STRUCTURAL STEEL

A. FAST SETTING GROUTS FOR ANCHOR BOLTS (550.3.15.4)

Manufacturer:

Dayton Superior
Minwax Construction Products Division

Product:

Sure Grip Utility Grout
Super Por Rok

NHDOT Qualified Products List

B. Not currently used.

C. PREFORMED FABRIC BEARING PADS (550.2.6)

<u>Manufacturer:</u>	<u>Product:</u>
Beemer Precision Co.	Beeco Preformed Fabric, Type 1
Boston Industrial	Viblon
Buckeye Rubber Products	Buckfab
Con-Serv	PF Preformed Fabric Pad
Elkhart Rubber	Shockpad
Fabreeka Products Co.	Fabreeka Bearing Pad
JVI Inc.	Carpralon
Voss Engineering	Sorbtex

D. ITEM 550.29 - BRIDGE SHOES (ISOLATION BEARINGS)

<u>Manufacturer:</u>	<u>Product:</u>
Dynamic Isolation Systems, Inc.	Elastomeric Isolator
Earthquake Protection Systems, Inc.	Friction Pendulum
R.J. Watson, Inc.	EQS Bearing
Seismic Energy Products, L.P.	Elastomeric Isolator
Skellerup Oiles Seismic Protection, LLC	Elastomeric Isolator

SECTION 552 - REHABILITATION OF EXPANSION BRIDGE SHOES

A. ITEM 552.2 - LUBRICATION (Lithium Base NGLI-2 Grade)

<u>Manufacturer:</u>	<u>Product:</u>
Exxon	Beacon P 290
Texaco	Marfax (All Purpose)

SECTION 559 - JOINT SEAL

A. ITEM 559.4 - ELASTOMERIC PLUG TYPE EXPANSION JOINT

<u>Manufacturer:</u>	<u>Product:</u>
Dynamic Surface Applications, Ltd	BJS with Road Repair Systems Material: BJ Super
Dynamic Surface Applications, Ltd.	Thorma-Joint with Road Repair Systems Material: BJ Super
Pavetech International, Inc.	Matrix 502 with Matrix 502 Polymer-Modified Bridge Joint Binder
Watson Bowman Acme/Harris Specialty	Expandex Joint with Wabo Expandex Material
Wyoming Equipment Sales, Inc.	A.P.J. Asphalt Plug Expansion Joint System with APB binder

B. ITEM 559.5 - SILICONE JOINT SEALANT

The use of primer is required with these products unless waived by the Engineer.

<u>Manufacturer:</u>	<u>Product:</u>
Dow Corning Corp.	Dow Corning 888 (Non-sag, for vertical and horizontal joints)
Dow Corning Corp.	Dow Corning 890-SL (Self-leveling, for horizontal joints only)

SECTION 560 - PREFABRICATED COMPRESSION SEAL EXPANSION JOINT

A. PREFABRICATED COMPRESSION SEAL EXPANSION JOINT

Manufacturer:

D.S. Brown
Elastomer
RUBATEX
Structural Accessories
Watson, Bowman & Acme

Product:

Delastic "CV" Series
"M" and "X" Series
"RPB" Series
"SA" Series
"WJ" Series

SECTION 561 - PREFABRICATED EXPANSION JOINT

A. PREFAB. EXPANSION JOINT "TYPE A" (STRIP SEAL)

Manufacturer:

D.S. Brown
ESCO Seal
Structural Accessories
Watson Bowman Acme

Product:

"A2, L2, H & NY" Series (SSA2, SSE2, SSCM2, SSPA steel shapes only)
E, A, M, C steel shapes only
"Onflex" Series
"SE" Series

B. PREFAB. EXPANSION JOINT "TYPE B" (BOX SEAL)

Manufacturer:

D.S. Brown
Watson, Bowman & Acme

Product:

"MA" Series
"D" Series

C. PREFORMED FABRIC TROUGH (Used with prefabricated finger joints)

Manufacturer:

Fabreeka Products Co.
Thermoid of H.B.D. Industries, Inc
Voss Engineering

Product:

Flexible Drain Trough
3-ply PNT 50 Saniwhite 3/64 x FS
15 oz. Flexible Drain Trough

SECTION 562 - ELASTOMERIC SEALANT

A. ELASTOMERIC SEALANT (Vertical Joints)

The use of primer is required with these products unless waived by the Engineer.

Manufacturer:

Sika Corporation
Sika Corporation
Sonneborn Building Products

Product:

Sikaflex 1A
Sikaflex-15LM
Sonolastic NP-1

B. ELASTOMERIC SEALANT (Horizontal Joints)

Manufacturer:

Sonneborn Building Products

Product:

Sonolastic SL-1

NHDOT Qualified Products List

SECTION 563 - BRIDGE RAILING

A. ANCHOR BOLTS W/RESIN ADHESIVE

These products are only qualified when installed with a minimum embedment depth of 9 times the nominal anchor diameter and for anchor diameters and ultimate capacities of: 3/4"(28.4 kips), 7/8"(39.25 kips), and 1"(51.5 kips).

Manufacturer shall certify that the supplied system (size, embedment, capacity) meets the design requirements specified.

Manufacturer:

Hilti
Hilti, Inc.
Hilti, Inc.
Hilti, Inc.
KelKen-Gold, Inc.
Simpson Strong-Tie
U.S. Anchor Corp.
Unitex

Product:

HSE 2421
HIT HY-150
HIT-RE 500
HVA Anchor Bolt w/ HVU Adhesive Cartridge
Kelken KeligROUT System
SET High Strength Epoxy
HS-200
Pro-Poxy 400

Note: Random proof test(s) of installed systems will be ordered by the Engineer.

B. AASHTO M 251 PADS

Manufacturer:

WARCO

Product:

50-E-52 (Neoprene) Pad

C. RANDOM-ORIENTED FIBER PADS

Manufacturer:

Fabreeka International
JVI
Voss Engineering Inc.

Product:

SA-47 Bearing Pads
Comcord Pads
VOSSCO

SECTION 566 - ELASTOMERIC JOINT SEAL

A. ELASTOMERIC JOINT SEAL

Manufacturer:

Product:

See qualified list for Section 560.

SECTION 581 - BRICK AND BLOCK MASONRY

A. ASPHALT-PRIMER (SOLVENT TYPE)

Manufacturer:

Sonneborn Products
Tamms Industries

Product:

Hydrocide 648
Dehydratine #4

SECTION 593 - GEOTEXTILES

NHDOT Qualified Products List

Pay Item and Unit:

593.A B C

A= Application

1 = Subsurface Drainage

2 = Separation

3 = Stabilization

4 = Permanent Erosion Control

B = Strength Class

0 = Class 0

1 = Class 1

2 = Class 2

3 = Class 3

C = Structure

0 = Contractor Option

1 = Nonwoven (Default - Applic. 1 & 4)

2 = Monofilament, Woven

3 = Slit Filament, Woven

Manufacturer & Product		QUALIFIED FOR		
		A	B	C
Amoco Fabrics & Fiber Co.		Application	Strength Class	Structure
	Propex 4552	1,2,3,4	2,3	1
	Propex 4553	1,2,3,4	1,2,3	1
	Propex 2004	2,3	2,3	3
	Propex 4516	1,2,3,4	0,1,2,3	1
Carthage Mills		A	B	C
		Application	Strength Class	Structure
	FX-60HS	1,2,3,4	2,3	1
	Carthage 6%	2,3	2,3	2
LINQ Industrial Fabrics, Inc.		A	B	C
		Application	Strength Class	Structure
	160EX	1,2,3,4	2,3	1
	180EX	1,2,3,4	2,3	1
SI Geosolutions, Inc.		A	B	C
		Application	Strength Class	Structure
	315ST	2,3	2,3	3
	104F	2,3	3	2
	401	1,2,3	3	1
	501	1,2,3	3	1
	601	1,2,3,4	2,3	1
	701	1,2,3,4	2,3	1
	801	1,2,3,4	2,3	1
	200ST	2,3	3	3
Skaps Industries		A	B	C
		Application	Strength Class	Structure
	GT142	1,2,3	3	1
	GT160	1,2,3,4	2,3	1
	GT170	1,2,3,4	2,3	1
WEBTEC, Inc.		A	B	C
		Application	Strength Class	Structure
	Terratex HD	2,3	1,2,3	3
	Terratex GS-250	2,3	2,3	3
	Terratex N07	1,2,3,4	2,3	1
	Terratex N08	1,2,3,4	1,2,3	1

SECTION 603 - CULVERTS AND STORM DRAINS

A. POLYETHYLENE (HDPE)

Approved Manufacturers:*

Manufacturer:

Advanced Drainage Systems, Inc.
Hancor, Inc.
Lane Enterprises, Inc.
Baughman Tile Co.
Solen, Inc.

Product:

Pipe in sizes up to 36 inch diameter
Pipe in sizes up to 36 inch diameter
Pipe in sizes up to 36 inch diameter
Pipe in sizes up to 36 inch diameter
Pipe in sizes up to 36 inch diameter

*Pipe shall only be supplied from plants currently qualified by the Eastern States Consortium <http://www.nh.gov/dot/espc/qm.htm> .

B. POLYVINYL CHLORIDE (PVC)

Approved Manufacturers:

Manufacturer:

Contech Construction Products

Product:

Pipe in sizes up to 36-inch diameter

SECTION 604 - CATCH BASINS, DROP INLETS, AND MANHOLES

A. FIBER REINFORCEMENT FOR PRECAST DRAINAGE STRUCTURES

Note: Use of fiber reinforcement is only allowed for drainage structures with a maximum diameter of 4'.

Manufacturer:

W.R. Grace

Product:

Strux 90/40 Fibers

SECTION 605 - UNDERDRAINS

A. POLYETHYLENE (HDPE)

Approved Manufacturers:*

Manufacturer:

Advanced Drainage Systems, Inc.
Hancor, Inc.
Lane Enterprises, Inc.
Baughman Tile Co.
Solen, Inc.

Product:

Per specifications
Per specifications
Per specifications
Per specifications
Per specifications

*Pipe shall only be supplied from plants currently qualified by the Eastern States Consortium <http://www.nh.gov/dot/espc/qm.htm> .

B. POLYVINYL CHLORIDE (PVC)

Approved Manufacturers:

Manufacturer:

Contech Construction Products

Product:

Per Specifications

NHDOT Qualified Products List

SECTION 606 - GUARDRAIL

A. COMPOSITE MATERIAL BLOCKS

(Use only when specified)

Manufacturer:

Product:

Contact Materials & Research (271-3151) for products when required.

SECTION 609 - CURBS

A. CEMENT MORTAR FOR BRIDGE CURB BEDDING

Manufacturer:

AH Harris
Conspec Marketing & Manufacturing Co.
Dayton Superior
Dayton Superior
Five Star Products
Master Builders, Inc.

Product:

Harris Construction Grout
Enduro #50
1107 Advantage Grout
Sure-Grip High Performance Grout
Structural Concrete
Set Grout

B. POLYESTER FIBERS FOR BITUMINOUS CURB

Manufacturer:

GFC Materials Co.
Kapejo Inc.

Product:

Petroflex Type 450
Boni Fibers Type B

SECTION 616 - TRAFFIC SIGNALS

A. SAW CUT LOOP SEALANT

Manufacturer:

3M
Chemque, Inc.
Chemque, Inc.
Degussa (formerly Harris Specialty
Dynatron/Bondo Corp.
RAI Products
RAI Products
Statler Paints

Product:

Loop Sealant
Q-Seal 290S Detector Loop Sealant
Q-Seal 296-06 Detector Loop Sealant
Gold Label All Season Loop Sealant (formerly Gold Label Loop Sealant)
Bondo P-606 Detector
Permanent Sealer 974
Pro-Seal 6006
Stat-A-Flex Poly Seal

SECTION 619 - MAINTENANCE OF TRAFFIC

A. TEMPORARY RAISED PAVEMENT MARKERS

Manufacturer:

Astro Optics Corp.
Avery Dennison
Bunzl Extrusion (Davidson)
Bunzl Extrusion (Davidson)

Product:

Model TPM
Model 66
RPM Durable Pavement Marker
TOM Road Marker

NHDOT Qualified Products List

SECTION 632 - RETROREFLECTIVE PAVEMENT MARKINGS

A. ITEM 632.1 - PREFORMED RETROREFLECTIVE TAPE, TYPE I (REMOVABLE)

Manufacturer:

3M
Advance Traffic Markings
Brite-Line Technologies, Inc
Lafarge Road Marking
Trelleborg Industries
Trelleborg Industries

Product:

Series 620
ATM 200 Removable Construction Grade
Brite-Line Series 100 Removable Tape
Prismoline TRT Series T-2512
Trelleborg Removable Road Tape RY-140 (Yellow)
Trelleborg Removable Road Tape RW-140(White)

B. ITEM 632.5 - PREFORMED RETROREFLECTIVE TAPE, TYPE V

Note: This category is for longitudinal lines, legends, and symbols, except for the word "ONLY" and arrows.

Manufacturer:

3M
Brite-Line Technologies, Inc.

Product:

Series 380-I
Brite-Line Series 1000 Durable Tape

C. ITEM 632.6 - PREFORMED RETROREFLECTIVE TAPE, TYPE VI

Note: This category is for transverse markings, and the word "ONLY" and arrows.

Manufacturer:

3M
Brite-Line Technologies, Inc.

Product:

Series 380-I
Brite-Line Series 1000 Durable Tape

D. ITEMS 632.81 & 632.82 - RAISED PAVEMENT MARKERS (SINGLE, DOUBLE FACE)

Manufacturer:

Astro Optics Corp.
Avery Dennison
Bunzl Extrusion (Davidson)

Product:

Model TPM
Model 66
RPM Durable Pavement Marker

E. Not currently used.

F. ITEM 632.9 - PREFORMED BLACKOUT TAPE, TYPE I (REMOVABLE)

Note: This category is for temporary obliteration of pavement markings.

Manufacturer:

Advance Traffic Markings
Brite-Line Technologies, Inc.
Swarco Industries, Inc.
Trelleborg Industries

Product:

ATM 280 Hide A Line
Deltaline BTR
Director 2 Blackout Removable Tape
Trelleborg Removable Tape RB-140

SECTION 645 - EROSION CONTROL

A. ITEM 645.1 - MULCH

Manufacturer:

Outdoor World of New England

Product:

Kid Kushion Playground Mulch

Contact Roadside Development Section, Bureau of Highway Design, 271-6476

NHDOT Qualified Products List

B. ITEM 645.21 - SLOPE STABILIZATION (2:1 OR FLATTER)

(For specific product information, contact the Roadside Development Section, Bureau of Highway Design, 271-6476)

Manufacturer:

American Excelsior Company
 American Excelsior Company
 American Excelsior Company
 American Excelsior Company
 Conwed Fibers
 East Coast Erosion Blankets, LLC
 East Coast Erosion Blankets, LLC
 Greenfix America
 Greenfix America
 Hydrograss Corp.Com
 North American Green
 North American Green
 North American Green
 North American Green
 North American Green
 North American Green
 North American Green
 PPS Packaging Co. (Western Excelsior)
 Rhino Seed & Landscape Supply
 SI Geosolutions (formerly Bonterra America)
 SI Geosolutions (formerly Bonterra America)
 Verdyol Plant Reasearch, LTD
 Verdyol Plant Reasearch, LTD
 Verdyol Plant Reasearch, LTD
 Western Excelsior Corporation
 Western Excelsior Corporation
 Western Excelsior Corporation
 Western Excelsior Corporation
 Western Excelsior Corporation
 Western Excelsior Corporation

Product:

AEC Premier Straw DN (formerly SS-G2) (2:1 or less)
 AEC Premier Straw Double Net QuickMow (formerly SS-W2) (2:1 or less)
 AEC Premier Straw Single Net Quick Mow (formerly SS-W1) (3:1 or less)
 AEC Premier Straw SN (formerly SS-G1)(3:1 or less)
 Futerra
 ECS-1
 ECS-2
 WS05 (3:1 or less)
 WS052 (3:1 or less)
 Straw Erosion Blanket II BN
 DS150
 DS75 (3:1 or less)
 S150
 S150BN
 S75 (3:1 or less)
 S75BN (3:1 or less)
 SC150BN
 Excel Regular
 Rhino Erosion King Straw Blanket (Double net high velocity straw blanket)
 Landlok S1 (3:1 or less) (6 fps)
 Landlok S2 (3:1 or less) (10 fps)
 Contech SFB1
 Contech SFB2
 Contech SFB2BD
 XCEL CS-3 All Natural
 XCEL SR-1 (3:1 or less)
 XCEL SR-1 All Natural (3:1 or less)
 XCEL SS-2
 XCEL SS-2 All Natural
 XCEL SS-2 w/rapid go netting

Qualified products shall be used in accordance with the manufacturer's specified conditions & installed as directed by the manufacturer.

These conditions & installation instructions shall be furnished to the Engineer at least 10 working days prior to actual delivery & installation on the project.

NHDOT Qualified Products List

C. ITEM 645.22 - SLOPE STABILIZATION (STEEPER THAN 2:1)

(For specific product information, contact the Roadside Development Section, Bureau of Highway Design, 271-6476)

Note: Products in this category are also acceptable for use under Item 645.21

<u>Manufacturer:</u>	<u>Product:</u>
American Excelsior Company	Curlex I
American Excelsior Company	Curlex II
American Excelsior Company	Curlex Quickgrass
East Coast Erosion Blankets, LLC	ECSC-2
Greenfix America	C4
Greenfix America	C7
Greenfix America	CF072B
Greenfix America	CF072RR
Greenfix America	CFS072B
Greenfix America	CFS072R
Greenfix America	WS072
Greenfix America	WS072B
Hydrogras Corp. Com	Straw Erosion Blanket II BN
North American Green	C125
North American Green	C125BN
North American Green	SC150
North American Green	SC150BN
PPS Packaging Co. (Western Excelsior)	Excel Super Duty
PPS Packaging Co. (Western Excelsior)	Excel Superior
SI Geosolutions (formerly Bonterra America)	Landlok CS2
Verdyol Plant Reasearch, LTD	Contech CFB2
Verdyol Plant Reasearch, LTD	Contech CFB2BD
Verdyol Plant Reasearch, LTD	Contech SCFB2
Verdyol Plant Reasearch, LTD	Contech SCFB2B
Western Excelsior Corporation	XCEL CC-4
Western Excelsior Corporation	XCEL CC-4 All Natural
Western Excelsior Corporation	XCEL CS-3
Western Excelsior Corporation	XCEL CS-3 All Natural

Qualified products shall be used in accordance with the manufacturer's specified conditions & installed as directed by the manufacturer.

These conditions & installation instructions shall be furnished to the Engineer at least 10 working days prior to actual delivery & installation on the project.

NHDOT Qualified Products List

D. ITEM 645.23 - CHANNEL STABILIZATION (LOW VELOCITY)

(For specific product information, contact the Roadside Development Section, Bureau of Highway Design, 271-6476)

Manufacturer:

American Excelsior Company
American Excelsior Company
American Excelsior Company
Greenfix America
Greenfix America
Greenfix America
Greenfix America
Hydrograss Corp. Com
Indian Valley Industries, Inc.
North American Green
North American Green
PPS Packaging Co. (Western Excelsior)
PPS Packaging Co. (Western Excelsior)
Synthetic Industries
Verdyol Plant Reasearch, LTD
Verdyol Plant Reasearch, LTD
Verdyol Plant Reasearch, LTD
Western Excelsior Corporation
Western Excelsior Corporation
Western Excelsior Corporation

Product:

Curlex I (5 fps max.)
Curlex II (7 fps max.)
Curlex Quickgrass (5 fps max.)
WS05 (6 fps max.)
WS052 (8 fps max.)
WS072 (9 fps max.)
WS072B (9 fps max.)
Straw Erosion Blanket II BN
Sedimat
SC150 (8 fps max.)
SC150BN (8 fps max.)
Excel Regular (5 fps max.)
Excel Superior (7 fps max.)
Landlok 407 GR (5 fps max.)
Contech CFB2(12fps)
Contech SCFB2(10 fps)
Contech SCFB2B (10 fps)
XCEL CS-3
XCEL CS-3 All Natural
XCEL R-1 Green Dyed (5fps max)

Qualified products shall be used in accordance with the manufacturer's specified conditions & installed as directed by the manufacturer.

These conditions & installation instructions shall be furnished to the Engineer at least 10 working days prior to actual delivery & installation on the project.

E. ITEM 645.24 - CHANNEL STABILIZATION (HIGH VELOCITY)

(For specific product information, contact the Roadside Development Section, Bureau of Highway Design, 271-6476)

Note: Products in this category are also acceptable for use under Item 645.23

Manufacturer:

American Excelsior Company
Greenfix America
Greenfix America
Greenfix America
Greenfix America
Greenfix America
Greenfix America
North American Green
North American Green
PPS Packaging Co. (Western Excelsior)
SI Geosolutions (formerly Bonterra America)
Verdyol Plant Reasearch, LTD
Verdyol Plant Reasearch, LTD
Verdyol Plant Reasearch, LTD
Verdyol Plant Reasearch, LTD
Western Excelsior Corporation

Product:

Curlex III (HV) (10 fps max)
C4 (10 fps max.)
C7 (10 fps max.)
CF072B (14 fps max.)
CFS072B (10 fps max.)
CFS072R (10 fps max.)
CFS072RR (14 fps max.)
C125 (10 fps max.)
C125BN (10 fps max.)
Excel Superduty (12 fps max.)
Landlok C2 (15 fps max.)
Contech CF4
Contech CF7
Contech CF9
Contech CFB2 (12 fps)
XCEL CC-4

Qualified products shall be used in accordance with the manufacturer's specified conditions & installed as directed by the manufacturer.

These conditions & installation instructions shall be furnished to the Engineer at least 10 working days prior to actual delivery & installation on the project.

NHDOT Qualified Products List

F. ITEM 645.25 - PERMANENT STABILIZATION

(For specific product information, contact the Roadside Development Section, Bureau of Highway Design, 271-6476)

Manufacturer:

Colbond Geosynthetics
Colbond Geosynthetics
North American Green
North American Green
PPS Packaging Co. (Western Excelsior)
PPS Packaging Co. (Western Excelsior)
Synthetic Industries
Synthetic Industries
Synthetic Industries
Synthetic Industries
Synthetic Industries
Synthetic Industries
Synthetic Industries
Synthetic Industries
Webtec, Inc.
Western Excelsior Corporation
Western Excelsior Corporation

Product:

Enkamat 7010 (Slopes & Channels)
Enkamat 7020 (Slopes & Channels)
C350 (10-18 fps)
P300 (9-14 fps)
Excel Permatat-100 (Slopes & 7-12 fps Channels)
Excel Permatat-200F (Slopes & 7-12 fps Channels)
Contech TRM C-35
Contech TRM C-45
Contech TRM C-50
Contech TRM C-60
Contech TRM C-61
LandLok TRM1060 (8-20 fps)
LandLok TRM450 (8-18 fps)
Pyramat
Terra Jute (Slopes)
XCEL PP-5-10
XCEL PP-5-12

Qualified products shall be used in accordance with the manufacturer's specified conditions & installed as directed by the manufacturer.

These conditions & installation instructions shall be furnished to the Engineer at least 10 working days prior to actual delivery & installation on the project.

G. ITEM 645.531 - SILT FENCE

(For specific product information, contact the Roadside Development Section, Bureau of Highway Design, 271-6476)

Note: In addition to those products meeting NHDOT specifications under this category, the following products are qualified for use:

Manufacturer:

Environmental Research Corp.

Product:

BioFence

Qualified products shall be used in accordance with the manufacturer's specified conditions & installed as directed by the manufacturer.

These conditions & installation instructions shall be furnished to the Engineer at least 10 working days prior to actual delivery & installation on the project.

H. TACKIFIERS

(For specific product information, contact the Roadside Development Section, Bureau of Highway Design, 271-6476)

Manufacturer:

Acadia Eco-Products
CHEMSTAR
CHEMSTAR
Eastern Products, Inc.
Eastern Products, Inc.
Erosion Control Technologies
Reinco Inc.

Product:

Earth Bond
StarTak 100
StarTak 600
Ecotak OP
Ecotak Sat
EC3000
Reinco RMBplus

Qualified products shall be used in accordance with the manufacturer's specified conditions & installed as directed by the manufacturer.

These conditions & installation instructions shall be furnished to the Engineer at least 10 working days prior to actual delivery & installation on the project.